App F IX 4

1929. (Rev) File No. 239-29

Serial Nos. 6, 7, 8 & 9

Previous References
Rev 177-28 SCs 14 & 16 & 18
153-29 -- 12
177-28 15 5, 7, 10, 11 & 13
239-29 4 & 5

Later References
Rev 239-29 SCs 10, 11 & 13
239-29 SCs 14 & 15
" 16–19
Rev 239-29-30

General and Revenue Secretariat.

Serial Nos 4

Part B for Aug 30

SUBJECT

Improvement of the Kolar Town water Supply.

SC9) To The Chief Engr
The Deputy Chief Kolar
The Comptroller
No 1494-6 dy 16-8-30

Sanctions the modified estimate for Rs 53298 for the second stage of Kolar water Supply—

Init 22/8/30.

App F III—2]

General and Revenue Secretariat

File No 239 of 1929

Serial No

6

From the Chief Engineer
No 14935 & 12 6 30 requests sanction, in the circumstances explained, to the levy of 10% Estt Tools and plant Charges on the Estimate for the improvement of the Kolar Town water Supply, as a Spl Case.

1) A Revised Estimate for Rs 81,000/- for the improvement of Kolar water Supply was sanctd in Govt No L 8223-5/Misc 177-28-13 dt 6 11 29. The Chief Engr states that, as shown in the margin of the Estt, Estt tools & plant Charges were calculated at 18% only on Rs 40,730/- But the Compt'r holds that the Estt Charges have to be calculated On Rs 76,669/- This will have the effect of raising the Estimate from Rs 81,000/- to Rs 86,929 and the mcl will have to pay another Rs 3000/- more than before But the Chief Engr opines that the mcl would not be able to bear this addl Cost. He therefore recommends that, as a Spl Case the Estt Charges may be calculated at 10% instead of at the usual rate.

2) It is now proposed to execute the work in two stages and an

Note—Contn Sheet

WD 866—GPB—80,000—26-7-29

6055

(2

Serial No

P

3257

estimate for Rs 34,474/- for the first stage of the work was sanctd in Govt no L 8870-21 mil 239-29-5 dt 6-6-30.

3) The recommendation of the Chief Engineer is for orders,

MB 21/6 4) The proposal of the Chief Engr may perhaps be apprd

VS 25.6.30

5) Gen Secy)

OFFICE OF THE SECOND MEMBER OF COUNCIL 2 JULY 1930 No 42

6) IIIrd member

RG 7/6/30 VS

7) IInd member

8) Papers

1/7/30

RG 1/7/30 VS

9) CRS 5/7

RG 5/7/30 VS 7/7/30

10) Draft submd

MB 9/7

11) Dft revised and submd MB 15/7

12) Please put up a typed draft as revised

VS 16.7.30

13) Typed draft put up MB 16/7

Note—Contn Sheet

WD 01681—GPB—30,000—20-1-29

App F III—2]

General and Revenue Secretariat — File No 239 of 1929

Serial No

OFFICE OF THE SECOND MEMBER OF COUNCIL
16 JULY 1930

(4) Draft for approval
2nd Member) 16.7.30.

(5) 17/7

(6) Issue 18.7.30

BEN. & REV. SECTT.
5 AUG 1930
L. S. G. BRANCH

G.O.No. 1971-38 25.7.30 & the Chief Engr's Memorandum of the recommendation of the Chief Engr

From the Chief Engineer of Mysore no: 1929 & 4.8.30
Forwards a modified estimate amounting to Rs 53298 for the second stage of the work for improving the Water Supply of Kolar Town.

(7) Draft G.O. submitted for approval
13/8/30 2nd Member 13.8.30

15/8

Issue
15.8.30

OFFICE OF THE SECOND MEMBER OF COUNCIL
14 AUG 1930
No 1372

Note—Contn Sheet

WD 02328 -GPB—10,000—22 4 30

D630

App F III—2]

General and Revenue Secretariat | ML File No 239. of 1929

Serial No 9

To The Acting Chief Engr of Mysore
Returning the estimate & its enclosures
Dy: Comm^r, Kolar District
Comptroller to Govt
No - L1694-6 & 16.8.30.
Sanctions the modified
Estimate for Rs 53,298 for
the second stage of Kolar
Water Supply.

L. S. G. BRANCH.

Note—Contn Sheet

WD 006—GPB—80,000—26 7-29

No 14935.

Enc.

Public Works Department,

Central Office,

Dated Bangalore, 2nd June 1930.

289-29-6

W 178-28-14

From Rajasevasakta

J BHORE, Esq, A M I C E, Etc,

Chief Engineer of Mysore,

Bangalore

GEN & REV DEPT. 6055 6 JUNE 1930 L & G BRANCH.

To

R. Ranga Rao, Esq., B.A., B.L.,

General Secretary to Government,

Bangalore.

Subject:- Kolar Town Water Supply Improvement of

Sir,

Adverting to Government Order No.L.3223-5/M1.177-28-13 dated the 6th November 1929 sanctioning an estimate for Rs.81,000/- for the above work, I have the honour to inform you that provision for Tools and Establishment charges at 18% is made on a sum of Rs.40,730/- as detailed in the margin.

Total estimated cost of all works	Rs.70,127
Contingencies at 5%.	" 3,542
Deductions in the estimate for Rs.70,127	
(1) Amount contributed by the Municipal Councillor	Rs.22,500
(2) Amount to be met by Government on account of C.I.Pipes.	" 6,897
	Rs.29,397
Balance on which establishment and Tools and Plant Charges are calculated (70,127 - 29,397) = 40,730.	
Establishment and Tools and Plant Charges at 18% on Rs.40,730	Rs.7,331
Total amount of the estimate.	Rs.81,000

2. The Comptroller of Mysore has brought to notice that the total amount in the estimate on which Establishment and Tools and Plant Charges should be levied is Rs.73,669/- and thus the total estimated cost should be Rs.86,929/- instead of Rs.81,000/- as at present sanctioned. It is however difficult for the Municipality to bear the additional cost. As per the views of the Comptroller, the Establishment and Tools and Plant charges now levied viz., Rs.7,331/- will work out to 10% on the works portion of the estimate.

3.

6

3. I request that you will be so good as to obtain the sanction of Government to a levy of 10% in ~~his~~ this particular instance as a very special case, unless it is considered that the Municipality should be charged the full Establishment and Tools and Plant Charges at 18%.

I have the honour to be,

S i r,

Your most obedient servant,

31.5/30

HRR/31st.

Chief Engineer of Mysore.

Ml 239-29-7

Proceedings of the Government of H.H. the Maharaja of Mysore..

R e a d.-

25.7.30 Q
Sd by Mr. V S Sastri

G.O.No.L.3223-5/Ml.177-28-13 dated 6th November 1929 sanctioning a revised estimate for Rs.81,000/- for the improvement of the Kolar Town Water Supply, subject to certain conditions.

2. Letter No.14935 dated 2nd June 1930 from the Chief Engineer in Mysore recommending that the Establishment, tools and plant charges in this case may be fixed at 10% and not at the usual rate.

ORDER NO.L. 971-3

Dated, Bangalore, the 25th July 1930.

The estimate sanctioned in the Government Order read above does not include the usual Establishment, tools and plant charges (of 18%) on Rs.22,500/- and Rs.6,897/-, being the amount contributed by Mr. V.R. Chikchennanjappa Chetty and the amount to be met by Government towards the cost of the Cast Iron pipes, ~~[illegible]~~ The Comptroller is of the opinion that these charges should be levied also on the above two items left out. This will have the effect of raising the total estimate still further from Rs.81,000/- to Rs.86,929. The Chief Engineer represents that as the Municipal Council is not in a position to bear any more additional expen-

19/7/30

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS
THE MAHARAJA OF MYSORE

Extra 9

Read:—

Government Order No.L. 3223-5/M.177-28-13 dated 6th November 1929 sanctioning a revised estimate for Rs.81,000/- for the --- improvement of the Kolar Town Water Supply, subject to certain -- conditions.

2. Letter No.14935 dated 2nd June 1930 from the Chief Engineer in Mysore recommending that the Establishment, tools and plant charges in this case may be fixed at 10% and not at the usual rate.

ORDER NO.L. 971-3/mc 239-29-7

Dated, Bangalore, the 25th July 1930.

The estimate sanctioned in the Government Order read above does not include the usual Establishment, tools and plant charges (of 18%) on Rs.22,500/- being the amount contributed by Mr. V.N. Chikchennanjappa Chetty, and Rs.6,897/- being the amount to be met by Government towards the cost of the Cast Iron pipes. The Comptroller is of the opinion that these charges should be levied also on the above two items left out. This will have the effect of raising the total estimate still further from Rs.81,000/- to Rs.86,929/-. The Chief Engineer represents that as the Municipal Council is not in a position to bear any more additional expenditure, the sum of Rs.7,331/- already provided in the Estimate -- towards the Establishment, tools and plant charges may, as a special case, be considered as the Establishment charges on the entire works portion of the Estimate of Rs.73,669/-. The charges will then work out to 10% instead of the usual rate of 18

The recommendation of the Chief Engineer is approved.

V Subrahmanyasastri
For General Secretary to Government.

To
The Chief Engineer of Mysore.
The Comptroller to the Government of Mysore.
R.A. The Deputy Commissioner, Kolar District.

LM

D.No 630

No 1929

Enc. 7

Public Works Department,

Central Office, ML 239-29-8

Dated, Bangalore, 4th August 1930.

D

From M.G.Rangaiya, Esq., B.A.,B.E.,M.R.San.I.,M.Am.A.E.,
~~M.R.BHORE,Esq.,M.Inst.C.E.,Etc.~~
Ag. *Chief Engineer of Mysore,*
Bangalore

To

R. Ranga Rao, Esq., B.A., B.L.,
General Secretary to Government,
Bangalore.

Early
RR
6/8/30
LR
DLR
7/8

Subject:- Improving the Water Supply to Kolar Town.

Sir,

Adverting to G.O.No.L.8870-2/Ml.239-29-5 dated the 6th June 1930, sanctioning the modified estimate amounting to Rs.34474 for the first stage of the work, I have the honour to forward herewith a modified estimate amounting to Rs.53,298/- for the second stage of the work comprising of the following items:-

(1) Filter house
(2) Pressure Filters, etc.,
(3) Elevated tank to hold 20,000 gallons
(4) Converting existing Filters into settling tanks.

The amount of the 1st and 2nd stages of the work will be Rs.87,772/- against Rs.81,000/- originally sanctioned the excess being Rs.6,772/-. The report accompanying the estimate furnishes details under each item.

2. I request that sanction of Government may be communicated to the estimate at an early date.

Report in duplicate
modified Estimate
Comparative Statt
Estimate for Annual
Maintenance
Plans

I have the honour to be,

S i r,

Your most obedient servant,

M G Rangaiya

Ag.Chief Engineer of Mysore. 4/8/30

1
\

mdt/2nd.

G R S App F VI G-2]

SUBJECT

U

Diary No of letter replied to 630

General and Revenue Secretariat

the ( ) *192*

Date of issue 16-8-1930

Signed by 16-8-30

May this be

i Printed? ~~Y~~ P

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

P.O.D

Sec ml

File No 239-29

Serial No. 9

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

1 G.O No L3223-5-ml 177-28-13 dt the 6th Nov 29, sanctioning a revised estimate for Rs 81000 for the improvement of the Water Supply to Kolar Town.

2 G.O no. 8870-2-ml 239-29-5 dated the 6th June 1930. sanctioning a modified estimate amounting to Rs 34,474 for the first stage of the work of Water Supply to Kolar Town.

3. Letter no. 1929 dated the 4th August 1930 from the Ag Chief Engineer of Mysore forwarding for sanction

a modified estimate
Amounting to Rs 53,298/=
for the second stage of
the work comprising the
marginally noted items
and intimating that the
amount of the 1st & 2nd
stages of the work will be
Rs 87772 against Rs 81000
originally sanctioned in the
first of the Govt orders read
above, the excess being
Rs 6772.

(1) Filter house
(2) Pressure Filters etc,
(3) Elevated Tank
to hold 20000 gallons
(4) Converting existing
Filters into Settling
Tanks

Order No: L 1494-6/ estimate & its enclosures
& 16 — August 1930

List of enclosure

The modified estimate
for Rs 53,298/= for the
second stage of the work
is sanctioned

13.8.30 for Genl: Secy: to Govt

Copied by

Examined by

To The Ag: Chief Engr: of
Mysore returning the estimate & its enclosures
" Dy: Commr: Kolar District
" Comptroller to Govt

WD 079—GPB—8000—10 10 29

Jobs
13/8/30

AG

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Read:—

Government Order No.L.3223-5 Ml.177-28-13 dated, the 6th November 1929, sanctioning a revised estimate for Rs. 81,000/- for the improvements of the Water Supply to Kolar Town.

2. Government Order No.8870-2 Ml.239-29-5 dated the 6th June 1920, sanctioning a modified estimate amounting to Rs.34,474/- for the first stage of the work of Water Supply to Kolar Town.

3. Letter No.1929 dated the 4th August 1930 from the Ag. Chief Engineer of Mysore, forwarding for sanction a -- modified estimate amounting to Rs.53,298/- for the second stage of the work comprising the marginally noted items and intimating that the amount of the 1st and 2nd stages of the work will be -- Rs.87,772/- against Rs.81,000/- originally sanctioned in the first of the Government Orders read above, the excess being Rs.6,772/-.

(1) Filter house.
(2) Pressure Filters etc.,
(3) Elevated Tank to hold 20,000 gallons.
(4) Converting existing Filters into settling Tanks.

ORDER NO.L. 1494-6/Ml 239-29-9

Dated, Bangalore, the 16th August 1930.

The modified estimate for Rs.53,298/- for the Second stage of the work is sanctioned.

V Subramanya Setty
For General Secretary to Government.

To

The Ag. Chief Engineer of Mysore, returning the estimate and its enclosures.
" Deputy Commissioner, Kolar District.
" Comptroller to the Government of Mysore.

K.L.R.4.
16/8.